


Material	Manufactured in selected engineered laminated pine or hardwood, sourced from sustainable and managed forestry (FSC or PFEC certified)
Mechanism	The door leaf is hung on the 3D adjustable door hinges and locked by multipoint lock
Security (optional)	Fully tested to Secure by design standards PAS 24:2012
Weatherseal	The door is fully weather sealed to BS EN 6375-1 2009
Glass	The door is factory glazed and can take dual or triple sealed units up to 32mm thickness
Thermal Performance	Thermal performance is calculated by the standards of EN ISO 10077-1:2006 and typically this door achieves a U-value of 1.6 W/m²K or better
Glazing Bars	Applied bars are used to achieve the slim section of traditional glazing bars. These are applied with double sided glazing tape to both faces of the sealed unit and capped with clear silicone
Cills	Manufactured in Hardwood with aluminium threshold
Fittings	Door lever or pull handles with options in colour and finish
Letter plates	Weather sealed letter plate with options in colour and finish
Factory Finishing	To ensure the smooth operation and optimum performance of the door, we apply 3 coats of sprayed applied microporous water based paint system



PRODUCT TYPE

## TRADITIONAL TIMBER DOOR

TITL

### **ELEVATION DRAWING**

DRAWING No.

FD-W-T90/01


2018/06/06

CONSTRUCTION DETAILS

FENSTER UAB Kirtimų 47, LT-02244, Vilnius, Lithuania Phone.: + 370 5 206 0987

Mob.: +370 682 01711 Fax.: +370 5 206 0986 E-mail: info@zylefenster.com www.zylefenster.com





#### **TRADITIONAL TIMBER DOOR**

**DOOR SECTIONS** 


FD-W-T90/02

1:2 @ A3

FENSTER UAB Kirtimų 47, LT-02244, Vilnius, Lithuania Phone.: + 370 5 206 0987

Fax.: +370 5 206 0986 E-mail: info@zylefenster.com www.zylefenster.com





PRODUCT TYPE

## TRADITIONAL TIMBER DOOR

TITLE

# SASH MIDRAILS AND TRANSOMS

DRAWING No.

FD-W-T90/03

DATE

SCAL

2018/06/06


1:2 @ A3

CONSTRUCTION DETAILS


FENSTER UAB
Kirtimų 47, LT-02244,
Vilnius, Lithuania

Phone.: + 370 5 206 0987 Mob.: +370 682 01711 Fax.: +370 5 206 0986 E-mail: info@zylefenster.com www.zylefenster.com







Rebated sash profile with Ovolo glazing bead



Rebated sash profile with Splayed glazing bead



Flush sash profile with moulding



#### **TRADITIONAL TIMBER DOOR**

SASH PROFILE, PANEL AND BEADING OPTIONS

DRAWING No.

FD-W-T90/04

2018/06/06 1:1.5 @ A3

CONSTRUCTION DETAILS

FENSTER UAB Kirtimų 47, LT-02244, Vilnius, Lithuania Phone.: + 370 5 206 0987

Mob.: +370 682 01711 Fax.: +370 5 206 0986 E-mail: info@zylefenster.com www.zylefenster.com

